


3871S

PLASTIC PREPCLEAN



PRODUCT DESCRIPTION

Plastic Prepclean 3871S is a solvent preparatory cleaner developed to remove mould release and other surface contaminants from plastics.

FEATURES

- 01 Eliminates non-water-soluble contaminants.

Best cleaner for preparation of plastics

TECHNICAL DATA SHEET

3871S




PLASTIC PREPCLEAN


Product preparation - application Plastic Preparatory



It is strongly recommended to use appropriate personal protection equipment during application to avoid respiratory, skin and eye irritation.



Old or original paintwork.
Repairs to exterior common plastic car parts, sanded.
New exterior common plastic car parts, tempering 60 min. 60-65°C / first cleaning use a pad ultrafine soaked in 3871S Plastic Prepclean / final cleaning use a cloth moistened with 3950S Anti-static Degreaser.
Wipe surface to loosen and lift contaminants. Immediately, thoroughly wipe off with a clean cloth.
Change cloths often, never use dirty cloths.
Remove thoroughly all traces of release agents.



Ready to use



Not applicable

VOC compliant

2004/42/IIB(a)(850) 850: The EU limit value for this product (product category: IIB(a)) in ready to use form is maximum 850 g/l of VOC. The VOC content of this product in ready to use form is maximum 850 g/l.

TECHNICAL DATA SHEET

3871S



PLASTIC PREPCLEAN

Products

3871S Plastic Prepclean

Remarks

- Preparatory cleaner, which eliminates non-water soluble contaminants, such as mould release agents and which removes small amounts of grease and oil.
- Close the container after use. This prevents the material to evaporate and lose strength.
- For detailed information regarding suitable plastic substrates, please refer to the Cromax Plastic Painting System TDS - CXPlasticSystem.

Consult Safety Data Sheet prior to use. Observe the precautionary notices displayed on the container.

All other products referred to in the refinish build up are from our Cromax product range. System properties will not be valid when the related material is used in combination with any other materials or additives which are not part of our Cromax product range, unless explicitly indicated otherwise.

For professional use only! The information provided in this documentation has been carefully selected and arranged by us. It is based upon our best knowledge on the subject at the date of issuance. The Information is given for information purposes only. We are not liable for its correctness, accuracy and completeness. It is up to the user to check the information with regard to up-to-dateness and suitability for his intended purpose. The intellectual property in this Information, including patents, trademarks and copyrights, is protected. All rights reserved. The relevant Material Safety Data Sheet and Warnings displayed on the product label need to be observed. We may modify and/ or discontinue operation of all or portions of this Information at any time in our sole discretion, without notice and assume no responsibility to update the Information. All rules set forth in this clause shall apply accordingly for any future changes and amendments.